

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/901,079	07/10/2001	Dong-Hoon Lee	8733.464.00	7082	
30827 75	30827 7590 07/28/2005			EXAMINER	
MCKENNA LONG & ALDRIDGE LLP			RUDE, TIMOTHY L		
1900 K STREET, NW WASHINGTON, DC 20006			ART UNIT	PAPER NUMBER	
			2883		
		DATE MAILED: 07/28/2005			

Please find below and/or attached an Office communication concerning this application or proceeding.

H-B		
	Application No.	Applicant(s)
Office Action Summers	09/901,079	LEE ET AL.
Office Action Summary	Examiner	Art Unit
The MAILING DATE of this communication and	Timothy L. Rude	2883
The MAILING DATE of this communication apperent for Reply		
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	i6(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	ely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133).
Status		
 1) ⊠ Responsive to communication(s) filed on 10 Ma 2a) ☐ This action is FINAL. 2b) ⊠ This 3) ☐ Since this application is in condition for allowant closed in accordance with the practice under Expression. 	action is non-final. ace except for formal matters, pro	
Disposition of Claims		
4) ☐ Claim(s) 1-10,13-24 and 27-36 is/are pending in 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-10,13-24 and 27-36 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.	
Application Papers		
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction. The oath or declaration is objected to by the Examiner	epted or b) objected to by the Edrawing(s) be held in abeyance. See on is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No d in this National Stage
Attachment(s)		
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4)	

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11 April 2005 has been entered.

Claims

1. Claims 1 and 16 are amended. Claims 11-12 and 25-26 are cancelled.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2883

2. Claims 1, 7-10, 13-16, 24, and 27-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's Admitted Prior Art (APA) in view of Sakamoto et al (Sakamoto) USPAT 6,507,382 B1 and Kim USPAT 5,581,382.

As to claim 1, APA discloses an in-plane switching liquid crystal display device comprising:

first and second substrates, 30 and 32 respectively;

a gate line, 50, arranged in one direction on the first substrate;

a common line, 54, arranged on the first substrate;

a gate insulation layer, 70, on the first substrate;

a data line, 62, on the gate insulation layer;

a first passivation layer, 74, on the gate insulation layer, and a plurality of common electrodes, 54a, an insulating layer over the common electrodes, and a plurality of pixel electrodes, 66a, on said insulating layer, wherein the plurality of common electrodes and the plurality of pixel electrodes are parallel to and [Applicant's "an"] space apart from each other; and

a liquid crystal layer between the first and second substrates..

APA does not explicitly disclose a common electrode

1) in contact with the first passivation layer; a second passivation layer on the first passivation layer; a pixel electrode on the second passivation layer, wherein the first passivation layer includes a plurality of common line contact holes and wherein

Art Unit: 2883

each common electrode is electrically connected with the common line through the corresponding common line contact hole, and

2) wherein the second passivation layer is an inorganic material.

Sakamoto teaches 1), (entire patent, especially embodiment 2) in Drawings 3(a) and 3(b), the use of a common electrode, 3 (col. 8, line 23 through col. 10, line 7), on a protective overcoat layer, 12 (Applicant's the first passivation layer); an interlayer film, 13 (Applicant's second passivation layer) on the first passivation layer that includes a contact hole for connecting the pixel electrode (per Figure 3(b)); and a pixel electrode, 14, on the second passivation layer to allow for manufacture of a color display that prevents color unevenness for better display performance (col. 4, lines 1-2).

Sakamoto is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to move the plurality of common electrodes of APA to be on and in contact with the first passivation layer with contact holes in the first passivation layer as needed to connect a plurality of common electrodes to the common line of APA; a second passivation layer on the first passivation layer; and a pixel electrode on the second passivation layer to allow for easy manufacture of a color display that prevents color unevenness for better display performance.

Note that in considering a reference, it is proper to take into account not only specific teachings of the reference but also the inferences which one skilled in the art would reasonably be expected to draw therefrom (MPEP 2144.01). Also, mere duplication of parts is not patentably distinct. Examiner considers Sakamoto to render

Art Unit: 2883

obvious, to one of ordinary skill in the art, the motivation to provide contact holes as needed to electrically connect the common electrodes of Sakamoto on the first passivation layer to the common line of APA that is below said first passivation layer.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of APA with the common electrode on the first passivation layer with associated common electrode contact holes; a second passivation layer on the first passivation layer; and a pixel electrode on the second passivation layer of Sakamoto to allow for manufacture of a color display that prevents color unevenness for better display performance.


Kim teaches 2) wherein the second passivation layer is a nitride layer (Applicant's inorganic material) to prevent moisture penetration and resulting damage due to said moisture penetration (improves display service life) (col. 5, lines 30-48).

Kim is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to add a second passivation layer that is an inorganic material to prevent moisture penetration and resulting damage due to said moisture penetration to improve display service life.


Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of APA with a second passivation layer that is an inorganic material of Kim to prevent moisture penetration and resulting damage due to said moisture penetration to improve display service life.

Art Unit: 2883

APA, Figure 6:





APA, Figure 7D:



Art Unit: 2883

Sakamoto:





As to claim 7, APA discloses a device wherein the common line, 54, is parallel with the gate line, 50, and spaced apart from the gate line.

Art Unit: 2883

As to claim 8, APA discloses a device wherein the data line, 60, is perpendicular to the gate line, 50.

As to claim 9, APA discloses a device further comprising a thin film transistor at a crossover point of the gate line, 50, and the data line, 60.

As to claim 10, APA discloses a device wherein the thin film transistor includes a gate electrode, 52, an active layer, 72, and source, 62, and drain, 64, electrodes.

As to claims 13 and 14, Sakamoto discloses a device wherein the second passivation layer includes a drain contact hole to electrically connect the pixel electrode to the drain (per Figure 3(B)).

As to claim 15, APA discloses a device wherein each pixel electrode is arranged between the adjacent common electrodes.

As to claim 16, the steps of manufacturing comprising forming would have been obvious given the structure above.

As to claim 24, APA discloses the use of Al, Cr, Mo, and W for the first and second metal layers (Specification, Page 6, lines 10-11). The steps of manufacturing

comprising forming, depositing, and patterning would have been obvious given the structure above.

As to claims 27-29, the steps of manufacturing comprising forming, depositing, patterning, and making electrically connected, would have been obvious given the structure above.

3. Claims 2-3 and 17-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over APA in view of Sakamoto and Kim, as applied to claims 1 and 16 above, and further in view of Shin et al (Shin) USPAT 6,356,328 B1.

As to claims 2 and 3, APA in view of Sakamoto and Kim disclose the device of claim 1 and the method of claim 16.

APA in view of Sakamoto and Kim do not explicitly disclose a device wherein the common and pixel electrodes are formed of the transparent conductive material.

Shin teaches the use of common and pixel electrodes formed of the transparent conductive material ITO to increase the aperture ratio and transmittance of the LCD (Abstract and col. 3, lines 37-47).

Shin is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to add common and pixel electrodes formed of the

Art Unit: 2883

transparent conductive material ITO to increase the aperture ratio and transmittance of the LCD.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of APA in view of Sakamoto and Kim with the common and pixel electrodes formed of the transparent conductive material ITO of Shin to increase the aperture ratio and transmittance of the LCD.

As to claims 17-20, the steps of manufacturing comprising depositing and patterning would have been obvious given the structure above.

4. Claims 4 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over APA in view of Sakamoto and Kim, as applied to claims 1 and 16 above, and further in view of Chang et al (Chang) USPAT 6,163,355.

As to claim 4, APA in view of Sakamoto and Kim disclose the device of claim 1.

APA in view Michiaki do not explicitly disclose a device wherein the gate insulation layer and the second passivation layer are one of Silicon Nitride (SiN_X) and Silicon Oxide (SiO_2).

Chang teaches that SiN_X is used as a passivation layer in a conventional LCD.

Chang is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to use SiN_X as an art-recognized material suitable for the intended purpose of forming a passivation layer.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of APA in view of Sakamoto and Kim with SiN_X of Chang as an art-recognized material suitable for the intended purpose of forming a passivation layer (MPEP 2144.07).

As to claim 23, the steps of manufacturing comprising forming, depositing, and patterning would have been obvious given the structure above.

5. Claims 5-6 and 21-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over APA in view of Sakamoto and Kim, as applied to claims 1 and 16 above, and further in view of Akiyama et al (Akiyama) USPAT 6,414,729 B1.

As to claims 5 and 6, APA in view of Sakamoto and Kim disclose the device of claim 1.

APA in view of Sakamoto and Kim do not explicitly disclose a device wherein the first passivation layer is formed of an organic material, wherein said organic material is one of benzocyclobutene (BCB) and acryl.

Art Unit: 2883

Akiyama teaches the use of an organic resin film such as BCB for the insulation layers (col. 9, lines 59-67) to shield the liquid crystal layers from the scanning and signal lines (col. 2, lines 22-24).

Akiyama is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to use of BCB for the insulation layers to shield the liquid crystal layers from the scanning and signal lines.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of APA in view of Sakamoto and Kim with the BCB insulation layers of Akiyama to shield the liquid crystal layers from the scanning and signal lines.

As to claims 21 and 22, the steps of manufacturing comprising forming, depositing, and patterning would have been obvious given the structure above.

6. Claims 30 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over APA in view of Sakamoto and Kim, as applied to claims 1-10, 13-24, and 27-29 above (avoids repetition here), and further in view of Wakagi et al (Wakagi) USPAT 6,300,995 B1.

As to claim 30, APA in view of Sakamoto and Kim disclose the device above, wherein the first passivation layer is Applicant's second insulation layer and the second passivation layer is Applicant's third insulation layer.

APA in view of Sakamoto and Kim does not explicitly disclose a device wherein a plurality of first contact holes through the first and second insulation layers over the common line; and a plurality of common electrodes on the second insulation layer, wherein the common electrodes contact the common line via the first contact holes.

Wakagi teaches in Figures 6 and 7 a device wherein a plurality of first contact holes through the first and second insulation layers over the common line; and a plurality of common electrodes on the second insulation layer, wherein the common electrodes contact the common line via the first contact holes to reduce losses in the driving voltage applied to the liquid crystal, by providing an active matrix substrate in which degradation of the metal electrode is prevented in a liquid crystal display device (col. 2, lines 6-10).

Wakagi is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to add a plurality of first contact holes through the first and second insulation layers over the common line; and a plurality of common electrodes on the second insulation layer, wherein the common electrodes contact the common line via the first contact holes to reduce losses in the driving voltage applied to the liquid crystal, by providing an active matrix substrate in which degradation of the metal electrode is prevented in a liquid crystal display device.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of APA in view of Sakamoto and Kim with a plurality of first contact holes through the first and second insulation layers over the common line; and a plurality of common electrodes on the second insulation layer, wherein the common electrodes contact the common line via the first contact holes of Wakagi to reduce losses in the driving voltage applied to the liquid crystal, by providing an active matrix substrate in which degradation of the metal electrode is prevented in a liquid crystal display device.

As to claim 31, APA discloses, in Figure 6, pixel electrodes electrically communicated with one another via a transverse pixel electrode perpendicular to the common electrodes.

7. Claims 32 and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over APA in view of Sakamoto, Kim, and Wakagi, as applied to claims 1-31 above, and further in view of Shin.

As to claim 32 and 33, APA in view of Sakamoto, Kim, and Wakagi disclose the device above.

Art Unit: 2883

APA in view of Sakamoto, Kim, and Wakagi do not explicitly disclose a device wherein the common and pixel electrodes are formed of the transparent conductive material.

Shin teaches the use of common and pixel electrodes formed of the transparent conductive material ITO to increase the aperture ratio and transmittance of the LCD (Abstract and col. 3, lines 37-47).

Shin is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to add common and pixel electrodes formed of the transparent conductive material ITO to increase the aperture ratio and transmittance of the LCD.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of APA in view of Sakamoto, Kim, and Wakagi with the common and pixel electrodes formed of the transparent conductive material ITO of Shin to increase the aperture ratio and transmittance of the LCD.

8. Claim 34 is rejected under 35 U.S.C. 103(a) as being unpatentable over APA in view of Sakamoto, Kim, and Wakagi, as applied to claim 30 above, and further in view of Chang.

As to claim 43, APA in view of Sakamoto, Kim, and Wakagi disclose the device above.

APA in view of Sakamoto, Kim, and Wakagi do not explicitly disclose a device wherein the gate insulation layer and the second passivation layer are one of Silicon Nitride (SiN_X) and Silicon Oxide (SiO_2).

Chang teaches that SiN_X is used as a passivation layer in a conventional LCD.

Chang is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to use SiN_X as an art-recognized material suitable for the intended purpose of forming a passivation layer.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of APA in view of Sakamoto, Kim, and Wakagi with SiN_X of Chang as an art-recognized material suitable for the intended purpose of forming a passivation layer (MPEP 2144.07).

Art Unit: 2883

9. Claim 35 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over APA in view of Sakamoto, Kim, and Wakagi, as applied to claim 30 above, and further in view of Akiyama.

As to claims 35 and 36, APA in view of Sakamoto, Kim, and Wakagi disclose the device above.

APA in view of Sakamoto, Kim, and Wakagi do not explicitly disclose a device wherein the first passivation layer is formed of an organic material, wherein said organic material is one of benzocyclobutene (BCB) and acryl.

Akiyama teaches the use of an organic resin film such as BCB for the insulation layers (col. 9, lines 59-67) to shield the liquid crystal layers from the scanning and signal lines (col. 2, lines 22-24).

Akiyama is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to use of BCB for the insulation layers to shield the liquid crystal layers from the scanning and signal lines.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of APA in view of Sakamoto, Kim, and Wakagi with the BCB insulation layers of Akiyama to shield the liquid crystal layers from the scanning and signal lines.

Response to Arguments

Applicant's arguments filed on 11 April 2005 have been fully considered but they are not persuasive.

Applicant's ONLY substantive arguments are as follows:

- (1) Kim is commonly owned and therefore not valid prior art.
- (2) Sakamoto does not teach the claimed second passivation layer on the first passivation layer, wherein the second passivation layer is an inorganic material.
- (3) Sakamoto does not teach contact holes to connect the common electrodes to the common line as claimed.
- (4) Regarding dependent claims, they are allowable because their base claims are allowable.
- (5) The applied prior art does not teach the claimed "third insulation layer on the common electrodes and the second insulation layer, wherein the third insulation layer is an inorganic material; a second contact hole through the second and third insulation layers over a drain electrode of the thin film transistor".

Examiner's responses to Applicant's ONLY arguments are as follows:

- (1) It is respectfully pointed out that Kim has a 102(b) date and is valid prior art.
- (2) It is respectfully pointed out that the claimed second passivation layer on the first passivation layer, wherein the second passivation layer is an inorganic material is considered to be met by 1) Sakamoto teaches (entire patent, especially embodiment 2)

Application/Control Number: 09/901,079 Page 19

Art Unit: 2883

in Drawings 3(a) and 3(b), the use of a common electrode, 3 (col. 8, line 23 through col. 10, line 7), on a protective overcoat layer, 12 (Applicant's the first passivation layer); an interlayer film, 13 (Applicant's second passivation layer) on the first passivation layer; and a pixel electrode, 14, on the second passivation layer to allow for manufacture of a color display that prevents color unevenness for better display performance (col. 4, lines 1-2), and 2) Kim teaches the second passivation layer is a nitride layer (Applicant's inorganic material) to prevent moisture penetration and resulting damage due to said moisture penetration (improves display service life) (col. 5, lines 30-48) per rejections above.

(3) It is respectfully pointed out that in considering a reference, it is proper to take into account not only specific teachings of the reference but also the inferences which one skilled in the art would reasonably be expected to draw therefrom (MPEP 2144.01). Also, mere duplication of parts is not patentably distinct. Examiner considers Sakamoto to render obvious, to one of ordinary skill in the art, the motivation to provide contact holes as needed to electrically connect the common electrodes of Sakamoto on the first passivation layer to the common line of APA that is below said first passivation layer.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of APA with the common electrode on the first passivation layer with associated common electrode contact holes; a second passivation layer on the first passivation layer; and a pixel electrode on the second passivation layer of Sakamoto to allow for manufacture of a

Page 20

Application/Control Number: 09/901,079

Art Unit: 2883

color display that prevents color unevenness for better display performance per rejections above.

- (4) It is respectfully pointed out that in so far as Applicant has not argued rationale for rejection of the dependent claims on their merits and has thereby acquiesced rejection.
- (5) It is respectfully pointed out that the claimed "third insulation layer on the common electrodes and the second insulation layer, wherein the third insulation layer is an inorganic material; a second contact hole through the second and third insulation layers over a drain electrode of the thin film transistor" is considered to be met by APA in view of Sakamoto and Kim, wherein the first passivation layer is Applicant's second insulation layer and the second passivation layer is Applicant's third insulation layer; in view of Wakagi who teaches in Figures 6 and 7 a device wherein a plurality of first contact holes through the first and second insulation layers over the common line; and a plurality of common electrodes on the second insulation layer, wherein the common electrodes contact the common line via the first contact holes to reduce losses in the driving voltage applied to the liquid crystal, by providing an active matrix substrate in which degradation of the metal electrode is prevented in a liquid crystal display device (col. 2, lines 6-10) per rejections above.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy L. Rude whose telephone number is (571) 272-2301. The examiner can normally be reached on Mon-Thurs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank G. Font can be reached on (571) 272-2415. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Timothy L Rude Examiner

Page 21

Art Unit 2883

Frank G. Font Supervisory Patent Examiner **Technology Center 2800**